

# CERTIFICATE OF ANALYSIS

\* FOR QUALITY ASSURANCE PURPOSES. NOT A CALIFORNIA COMPLIANCE CERTIFICATE.

PRODUCED: JAN 23, 2019

V5-KC (CONCENTRATE) // CLIENT: SHENZHEN ITSUWA ELECTRON CO // BATCH RESULT: **PASS**



**MATRIX:** CONCENTRATE  
**CATEGORY:** INHALABLE  
**SAMPLE ID:** BCL-190116-010  
**COLLECTED ON:** JAN 16, 2019  
**RECEIVED ON:** JAN 16, 2019  
**BATCH SIZE:** 5 UNITS  
**SAMPLE SIZE:** 5 UNITS



**HEAVY METALS**  
PASS

**RESULTS CERTIFIED BY:** ANDREW PHAM, M.SC.  
SCIENTIFIC DIRECTOR, BELCOSTA LABS  
JAN 24, 2019



BCL-10: HEAVY METAL TESTING BY ICP-MS  
JAN 23, 2019

ANALYTE	ACTION LIMIT	DETECTED	LOD	LOQ	PASS/FAIL
ARSENIC	0.2 µg/g	0.01 µg/g	0.353 µg/kg	1.069 µg/kg	PASS
CADMIUM	0.2 µg/g	0.02 µg/g	0.357 µg/kg	1.082 µg/kg	PASS
LEAD	0.5 µg/g	0.10 µg/g	0.638 µg/kg	1.933 µg/kg	PASS
MERCURY	0.1 µg/g	0.02 µg/g	0.412 µg/kg	1.251 µg/kg	PASS

\* FOR QUALITY ASSURANCE PURPOSES. NOT A CALIFORNIA COMPLIANCE CERTIFICATE.