

Certificate of Analysis

Produced: Oct 16, 2025

Sample: GPLA052725-001 (Concentrate) • Client: CBD FOR THE PEOPLE • Batch: Pass



Batch No.: GPLA052725-001  
Matrix: Concentrate  
Sample ID: ICC-250603-02-001  
Collected on: Jun 03, 2025  
Received on: Jun 03, 2025  
Sample Size:  
Address: 120 Tustin Ave. Newport Beach, CA 92663

Batch Result: Pass

|            |        |
|------------|--------|
| Potency    | Tested |
| Solvents   | Pass   |
| Metals     | Pass   |
| Pesticides | Pass   |

Cannabinoid Overview

|                      |        |
|----------------------|--------|
| Total THC:           | 1.93 % |
| Total CBD:           | 60.8 % |
| Total Cannabinoids:  | 71.2 % |
| Sum of Cannabinoids: | 71.2 % |

POT-INST-005, POT-PREP-001: POT-INST-005, POT-PREP-001: Potency • Jun 05, 2025

| Analyte | Amt (%) | Amt (mg/g) | LOD/LOQ (mg/g) | Pass/Fail | Analyte              | Amt (%) | Amt (mg/g) | LOD/LOQ (mg/g) | Pass/Fail |
|---------|---------|------------|----------------|-----------|----------------------|---------|------------|----------------|-----------|
| CBC     | 1.80    | 18.0       | 0.268/0.803    | N/A       | CBT                  | 1.30    | 13.0       | 0.116/0.406    | N/A       |
| CBD     | 60.8    | 608        | 0.0818/0.406   | N/A       | Δ <sup>8</sup> -THC  | ND      | ND         | 0.0656/0.406   | N/A       |
| CBDA    | ND      | ND         | 0.196/0.587    | N/A       | Δ <sup>9</sup> -THC  | 1.93    | 19.3       | 0.108/0.406    | N/A       |
| CBDV    | 2.93    | 29.3       | 0.0649/0.406   | N/A       | THCA                 | ND      | ND         | 0.149/0.447    | N/A       |
| CBG     | 1.88    | 18.8       | 0.0924/0.406   | N/A       | THCV                 | 0.136   | 1.36       | 0.0501/0.406   | N/A       |
| CBGA    | ND      | ND         | 0.144/0.433    | N/A       | Total THC**          | 1.93    | 19.3       |                | N/A       |
| CBL     | 0.119   | 1.19       | 0.0638/0.406   | N/A       | Total CBD**          | 60.8    | 608        |                | N/A       |
| CBN     | 0.280   | 2.80       | 0.0924/0.406   | N/A       | Total Cannabinoids** | 71.2    | 712        |                | N/A       |

\*\* Total Cannabinoids = Neutral Cannabinoids + (Acidic Cannabinoids \* 0.877)  
\*\* Total THC = Delta-10-THC + Delta-8-THC + (Delta-8-THCA x 0.877) + Delta-9-THC + THC-O-acetate + (THCA x 0.877)  
\*\* Total CBD = CBD + (CBDA x 0.877)  
NR= Not Reported, ND= Not Detected, \*Reported by Dry Mass\*; \*analytical instrumentation used Cannabinoids: UHPLC-DAD, Moisture: Mass by Drying, Water Activity: Water Activity Meter, Foreign: Microscope\*  
\*Density tested at a temperature range between 19-24 °C, \*Water Activity tested at a humidity range between 0-90% Relative Humidity. All OA samples are sampled by the client, All California State Compliant samples sampled using SAMPL-SOP-001.

RS-INST-003, RS-PREP-001: RS-INST-003, RS-PREP-001: Residual Solvents by GC-MS • Jun 04, 2025

| Analyte            | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail | Analyte            | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail |
|--------------------|--------------|------------|----------------|-----------|--------------------|--------------|------------|----------------|-----------|
| 1,2-Dichloroethane | 1            | ND         | 0.167/0.510    | Pass      | Hexane             | 290          | ND         | 0.0662/0.282   | Pass      |
| Acetone            | 5000         | 158        | 17.1/51.4      | Pass      | Isopropyl alcohol  | 5000         | ND         | 1.28/3.85      | Pass      |
| Acetonitrile       | 410          | 1.17       | 0.120/0.360    | Pass      | Methanol           | 3000         | 17.5       | 2.98/8.94      | Pass      |
| Benzene            | 1            | ND         | 0.0211/0.0641  | Pass      | Methylene chloride | 1            | ND         | 0.127/0.731    | Pass      |
| Butane             | 5000         | ND         | 0.974/4.86     | Pass      | Pentane            | 5000         | ND         | 0.965/4.28     | Pass      |
| Chloroform         | 1            | ND         | 0.0361/0.108   | Pass      | Propane            | 5000         | ND         | 4.45/13.3      | Pass      |
| Ethanol            | 5000         | 648        | 2.62/7.87      | Pass      | Toluene            | 890          | ND         | 0.0883/0.867   | Pass      |
| Ethyl acetate      | 5000         | 147        | 0.314/2.29     | Pass      | Trichloroethylene  | 1            | ND         | 0.0181/0.145   | Pass      |
| Ethylene oxide     | 1            | ND         | 0.153/0.581    | Pass      | o-Xylene           |              | ND         | 0.101/0.860    | N/A       |
| Ethyl ether        | 5000         | ND         | 1.19/3.56      | Pass      | p- and m-Xylene    |              | ND         | 0.116/1.72     | N/A       |
| Heptane            | 5000         | ND         | 0.689/2.87     | Pass      | Total xylenes      | 2170         | ND         |                | Pass      |

HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Heavy Metals Testing by ICP-MS • Jun 03, 2025

| Analyte | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g)  | Pass/Fail | Analyte | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g)  | Pass/Fail |
|---------|--------------|------------|-----------------|-----------|---------|--------------|------------|-----------------|-----------|
| Arsenic | 0.2          | ND         | 0.00300/0.00900 | Pass      | Lead    | 0.5          | 0.181      | 0.00100/0.00400 | Pass      |
| Cadmium | 0.2          | 0.0722     | 0.00100/0.00200 | Pass      | Mercury | 0.1          | ND         | 0.00500/0.0140  | Pass      |

PEST-GC-INST-003, PEST-GC-PREP-001: PEST-GC-INST-003, PEST-GC-PREP-001: Pesticide Analysis by GC-MS/MS • Jun 05, 2025

| Analyte      | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail | Analyte                 | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail |
|--------------|--------------|------------|----------------|-----------|-------------------------|--------------|------------|----------------|-----------|
| Captan       | 0.7          | ND         | 0.120/0.358    | Pass      | Cypermethrin            | 1            | ND         | 0.0602/0.181   | Pass      |
| Chlordane    | Any amt      | ND         | 0.0249/0.0747  | Pass      | Methyl parathion        | Any amt      | ND         | 0.00811/0.0243 | Pass      |
| Chlorfenapyr | Any amt      | ND         | 0.0251/0.0753  | Pass      | Pentachloronitrobenzene | 0.1          | ND         | 0.0182/0.0545  | Pass      |
| Cyfluthrin   | 2            | ND         | 0.0186/0.0558  | Pass      |                         |              |            |                |           |

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Pesticide Analysis by LC-MS/MS • Jun 05, 2025

| Analyte             | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail | Analyte                 | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g)  | Pass/Fail |
|---------------------|--------------|------------|----------------|-----------|-------------------------|--------------|------------|-----------------|-----------|
| Abamectin           | 0.1          | ND         | 0.0500/0.100   | Pass      | Malathion               | 0.5          | ND         | 0.00313/0.0300  | Pass      |
| Abamectin Ba        |              | ND         | 0.0330/0.0990  | N/A       | Metalaxyl               | 2            | < LOQ      | 0.00467/0.0300  | Pass      |
| Acephate            | 0.1          | ND         | 0.00743/0.0300 | Pass      | Methiocarb              | Any amt      | ND         | 0.00245/0.0300  | Pass      |
| Acequinocyl         | 0.1          | ND         | 0.0150/0.0456  | Pass      | Methomyl                | 1            | ND         | 0.00879/0.0300  | Pass      |
| Acetamiprid         | 0.1          | ND         | 0.00496/0.0300 | Pass      | Mevinphos               | Any amt      | ND         | 0.00772/0.0300  | Pass      |
| Aldicarb            | Any amt      | ND         | 0.00838/0.0300 | Pass      | Myclobutanil            | 0.1          | ND         | 0.00707/0.0300  | Pass      |
| Azoxystrobin        | 0.1          | ND         | 0.00530/0.0300 | Pass      | Naled                   | 0.1          | ND         | 0.00849/0.0300  | Pass      |
| Bifenazate          | 0.1          | ND         | 0.00706/0.0300 | Pass      | Oxamyl                  | 0.5          | ND         | 0.00746/0.0300  | Pass      |
| Bifenthrin          | 3            | ND         | 0.00439/0.0300 | Pass      | Paclobutrazol           | Any amt      | ND         | 0.00851/0.0300  | Pass      |
| Boscalid            | 0.1          | ND         | 0.00809/0.0300 | Pass      | Permethrin              | 0.5          | ND         | 0.00190/0.0300  | Pass      |
| Carbaryl            | 0.5          | ND         | 0.00604/0.0300 | Pass      | Permethrin cis          |              | ND         | 0.0200/0.0300   | N/A       |
| Carbofuran          | Any amt      | ND         | 0.00538/0.0300 | Pass      | Permethrin trans        |              | ND         | 0.0200/0.0300   | N/A       |
| Chlorantraniliprole | 10           | 0.323      | 0.00883/0.0300 | Pass      | Phosmet                 | 0.1          | ND         | 0.00511/0.0300  | Pass      |
| Chlorpyrifos        | Any amt      | ND         | 0.0152/0.0460  | Pass      | Piperonylbutoxide       | 3            | ND         | 0.00267/0.0300  | Pass      |
| Clofentezine        | 0.1          | ND         | 0.00206/0.0300 | Pass      | Prallethrin             | 0.1          | ND         | 0.0235/0.0711   | Pass      |
| Coumaphos           | Any amt      | ND         | 0.00393/0.0300 | Pass      | Propiconazole           | 0.1          | ND         | 0.00909/0.0300  | Pass      |
| Daminozide          | Any amt      | ND         | 0.0176/0.0534  | Pass      | Propoxur                | Any amt      | ND         | 0.00780/0.0300  | Pass      |
| Diazinon            | 0.1          | ND         | 0.00475/0.0300 | Pass      | Pyrethrins              | 0.5          | ND         | 0.00278/0.0300  | Pass      |
| Dichlorvos          | Any amt      | ND         | 0.0182/0.0550  | Pass      | Pyrethrins Pyrethrin I  |              | ND         | 0.0100/0.0450   | N/A       |
| Dimethoate          | Any amt      | ND         | 0.00592/0.0300 | Pass      | Pyrethrins Pyrethrin II |              | ND         | 0.0100/0.0300   | N/A       |
| Dimethomorph        | 2            | ND         | 0.00454/0.0300 | Pass      | Pyridaben               | 0.1          | ND         | 0.00231/0.0300  | Pass      |
| Ethoprophos         | Any amt      | ND         | 0.00610/0.0300 | Pass      | Spinetoram              | 0.1          | ND         | 0.00119/0.0300  | Pass      |
| Etofenprox          | Any amt      | ND         | 0.00437/0.0300 | Pass      | Spinetoram J            |              | ND         | 0.00500/0.0100  | N/A       |
| Etoxazole           | 0.1          | ND         | 0.00365/0.0300 | Pass      | Spinetoram L            |              | ND         | 0.00500/0.0100  | N/A       |
| Fenhexamid          | 0.1          | ND         | 0.0113/0.0342  | Pass      | Spinosad                | 0.1          | ND         | 0.000830/0.0300 | Pass      |
| Fenoxycarb          | Any amt      | ND         | 0.00415/0.0300 | Pass      | Spinosad A              |              | ND         | 0.00500/0.0100  | N/A       |
| Fenpyroximate       | 0.1          | ND         | 0.00396/0.0300 | Pass      | Spinosad D              |              | ND         | 0.00500/0.0100  | N/A       |
| Fipronil            | Any amt      | ND         | 0.0165/0.0500  | Pass      | Spiromesifen            | 0.1          | ND         | 0.00894/0.0300  | Pass      |
| Flonicamid          | 0.1          | ND         | 0.0115/0.0350  | Pass      | Spirotetramat           | 0.1          | ND         | 0.00808/0.0300  | Pass      |
| Fludioxonil         | 0.1          | ND         | 0.0119/0.0362  | Pass      | Spiroxamine             | Any amt      | ND         | 0.00555/0.0300  | Pass      |
| Hexythiazox         | 0.1          | ND         | 0.00124/0.0300 | Pass      | Tebuconazole            | 0.1          | ND         | 0.00605/0.0300  | Pass      |
| Imazalil            | Any amt      | ND         | 0.00898/0.0300 | Pass      | Thiacloprid             | Any amt      | ND         | 0.00506/0.0300  | Pass      |
| Imidacloprid        | 5            | ND         | 0.0109/0.0331  | Pass      | Thiamethoxam            | 5            | ND         | 0.00760/0.0300  | Pass      |
| Kresoxim-methyl     | 0.1          | ND         | 0.00708/0.0300 | Pass      | Trifloxystrobin         | 0.1          | ND         | 0.00293/0.0300  | Pass      |



*[Signature]*